

## TITLE I AUDIT APPEAL

## Acceptance of Application for Appeal

Notice is hereby given that, pursuant to the Notice establishing the Title I Audit Hearing Board (37 FR 23002, October 27, 1972, as amended by 41 FR 28568, July 12, 1976), an application for an appeal before the Board has been received from the State of California and has met the jurisdictional requirements of Section 5 of the Notice establishing the Board. The appeal involves the allowability of specified expenditures of funds under Title I of the ESEA during the period of July 1, 1969, through August 31, 1974. The agency involved is the California Youth Authority (ACN: 50001-09, Docket 11-(26)-76). The amount involved is \$270,985.

The prehearing conference will be held at 10:30 a.m. on September 30, 1976, in Room 3000, 400 Maryland Avenue, S.W., Washington, D.C. 20202.

Section 7(c) of the Notice setting up the Board provides: (c) Intervention by third parties. (1) Interested third parties may, upon application to the Board Chairperson, intervene in proceedings conducted under this notice. This application must indicate to the satisfaction of the Board Chairperson that the intervenor has information relative to the specific issues raised by the final audit determination, and that this information will be useful to the Hearing Panel in resolving those issues.

(2) When third parties are given leave to intervene in accordance with subparagraph (1) above, such parties shall be afforded the same opportunities as other parties to present written materials, to participate in informal conferences, to call witnesses, to cross-examine other witnesses, and to be represented by counsel.

All such applications for intervention will be considered if received on or before September 20, 1976.

(20 U.S.C. 241a, 1232c)

(Catalog of Federal Domestic Assistance Numbers 13.427, Educationally Deprived Children—Handicapped (P.L. 89-313); 13.428, Educationally Deprived Children—Local Educational Agencies; 13.429, Educationally Deprived Children—Migrants; 13.430, Educationally Deprived Children—State Administration; 13.431, Educationally Deprived Children in State Administered Institutions Serving Neglected or Delinquent Children.)

Dated: August 30, 1976.

WILLIAM F. PIERCE,  
Acting U.S.

Commissioner of Education.

[FR Doc. 76-26082 Filed 9-3-76; 8:45 am]

DEPARTMENT OF HOUSING AND  
URBAN DEVELOPMENT

Federal Disaster Assistance  
Administration

[Docket No. NFD-361; FDAA-3013-EM]

## MINNESOTA

Notice of Emergency Declaration;  
Amendment

Notice of Emergency for the State of  
Minnesota, dated June 17, 1976, and

amended on June 28, 1976, is hereby further amended to include the following counties among those counties determined to have been adversely affected by the catastrophe declared an emergency by the President in his declaration of June 17, 1976:

The counties of:

Anoka	Isanti
Carver	Kanabec
Chisago	Ramsey
Dakota	Washington
Hennepin	

(Catalog of Federal Domestic Assistance No. 14.701, Disaster Assistance.)

Dated: August 27, 1976.

WILLIAM A. CROCKETT,  
Acting Administrator, Federal  
Disaster Assistance Adminis-  
tration.

[FR Doc. 76-26018 Filed 9-3-76; 8:45 am]

## Office of the Secretary

[Docket No. D-76-454]

## KANSAS CITY, MO. REGIONAL OFFICE

Redelegation of Authority With Respect  
to Fair Housing

Section A.—*Authority with respect to fair housing.* The Assistant Regional Administrator for Equal Opportunity, Region VII, Kansas City, is authorized to exercise the power and authority of the Secretary of Housing and Urban Development under Title VIII (Fair Housing) of the Civil Rights Act of 1968, Pub. L. 90-284 (42 U.S.C. 3601-3619), except the authority to:

1. Make studies and publish reports under section 808(e) of the Act (42 U.S.C. 3608(d)).

2. Issue rules and regulations.

Section B.—*Authority to redelegate.* The Assistant Regional Administrator for Equal Opportunity is authorized to redelegate to subordinate employees any of the authority redelegated under Section A except the authority to issue a subpoena or interrogatory under Section 811 of the Act (42 U.S.C. 3611) shall remain with the Assistant Regional Administrator for Equal Opportunity.

(Redelegation of Authority by Assistant Secretary for Fair Housing and Equal Opportunity published at 41 F.R. 14208, April 2, 1976, effective April 2, 1976.)

Effective date: This redelegation of authority shall be effective as of June 9, 1976.

P. A. TOWNSEND,  
Acting Regional Administrator.

[FR Doc. 76-26019 Filed 9-3-76; 8:45 am]

[Docket No. D-76-455]

## REGIONAL ADMINISTRATORS, ET AL.

Redelegation of Authority With Respect  
to Emergency Preparedness

Section A. *Authority Redelegated.* Each Regional Administrator and Deputy Regional Administrator is hereby delegated authority with respect to the implementation of specified sections of section 404 of the Disaster Relief Act of 1974 (88

Stat. 143, 42 U.S.C. 512n) in conformity with HUD rules and regulations and Assistant Secretary for Housing-Federal Housing Commissioner Mission Assignments.

1. The authority, function and power granted by section 404(a) of the Disaster Relief Act of 1974 (88 Stat. 143, 42 U.S.C. 512n) to provide either by purchase or lease temporary housing including, but not limited to, unoccupied habitable dwellings, suitable rental housing, mobile homes, or other readily fabricated dwellings for those who, as a result of a major disaster, require temporary housing, except the authority, function and power to authorize installation of essential utilities at Federal expense and to provide other more economical or accessible sites for mobile homes or other readily fabricated dwellings.

2. The authority, function and power granted by section 404(b) to provide assistance on a temporary basis in the form of mortgage or rental payments to or on behalf of individuals and families who as a result of financial hardship caused by a major disaster, have received written notice of dispossession or eviction from a residence.

3. The authority, function and power granted by Section 404(c) to provide other types of temporary housing after a major disaster, and to make expenditures for the purpose of repairing or restoring to a habitable condition owner-occupied private residential structures made uninhabitable by a major disaster which are capable of being restored quickly to a habitable condition with minimal repairs. No assistance provided under this section may be used for major reconstruction or rehabilitation of damaged properties.

4. The authority, function and power granted by Section 404(d) (1) to sell, notwithstanding any other provision of law, any temporary housing acquired by purchase to individuals and families who are occupants of temporary housing at prices that are fair and equitable.

Section B. *Authority to Redelegate.* The Regional Administrator may redelegate to employees of the Department of Housing and Urban Development any of the authority delegated in Section A.

(Redelegation from the Administrator, Federal Disaster Assistance Administration published at 41 FR 29719, July 19, 1976.)

Effective date: This redelegation of authority shall be effective as of August 20, 1976.

JAMES L. YOUNG,  
Assistant Secretary for Housing,  
Federal Housing Commissioner.

[FR Doc. 76-26020 Filed 9-3-76; 8:45 am]

ADMINISTRATIVE CONFERENCE  
OF THE UNITED STATES

## COMMITTEE ON JUDICIAL REVIEW

## Meeting

Pursuant to the Federal Advisory Committee Act (Pub. L. 92-463), notice is hereby given of a meeting of the Committee on Judicial Review of the Administrative Conference of the United States,



to be held at 2:00 p.m. September 17, 1976 in the offices of Covington and Burling, 888 16th Street, NW., Washington, D.C. 20006.

The Committee will meet to discuss proposed recommendations stemming from Professor David P. Currie's draft report, "Judicial Review Under the Federal Pollution Laws."

Attendance is open to the interested public, but limited to the space available. Persons wishing to attend should notify the Administrative Conference of the United States, 2120 L Street, NW., Suite 500, Washington, D.C. 20037, at least two days in advance. The Committee Chairman may, if he deems it appropriate, permit members of the public to present oral statements with the Committee before, during or after the meeting.

For further information concerning this Committee meeting contact Jeffrey Lubbers (202-254-7065). Minutes of the meeting will be available on request.

EMMETT J. GAVIN,  
Executive Director.

AUGUST 30, 1976.

[FR Doc.76-26061 Filed 9-3-76;8:45 am]

### CIVIL AERONAUTICS BOARD

[Docket 29572, Agreement CAB 23870-A2, Order 76-8-137]

#### AIR TRAFFIC CONFERENCE OF AMERICA

##### Reduced Fees for Transmission of Automated Tickets; Correction

Issued under delegated authority, August 25, 1976.

In FR Doc. 76-25469, appearing at page 36679 in the FEDERAL REGISTER of August 31, 1976, the reference to Docket 29572 in Order 76-8-137 should be changed to Docket 29575.

By the Civil Aeronautics Board:

Dated: August 26, 1976.

PHYLLIS T. KAYLOR,  
Secretary.

[FR Doc.76-26109 Filed 9-3-76;8:45 am]

### NATIONAL ENVIRONMENTAL POLICY ACT

#### Preparation of Environmental Impact Statements

On August 30, 1976, Mr. Bruce E. Cunningham, Director, Bureau of Operating Rights, by memorandum to the Managing Director of the Board, delegated his responsibilities for the preparation of environmental impact statements and related documents and the taking of other actions in connection therewith to the Chief of the Legal Division, Bureau of Operating Rights.

This delegation of authority was taken pursuant to 14 CFR 312.8(a) and is effective immediately.

By the Civil Aeronautics Board:

Dated: August 30, 1976.

PHYLLIS T. KAYLOR,  
Secretary.

[FR Doc.76-26110 Filed 9-3-76;8:45 am]

[Docket 29141]

### TRANSMERIDIAN AIR CARGO LTD. (U.K.)

#### Renewal and Amendment of Foreign Air Carrier Permit; Hearing

Notice is hereby given, pursuant to the provisions of the Federal Aviation Act of 1958, as amended, that hearing in the above-entitled matter is assigned to be held on September 29, 1976, at 9:30 a.m. (local time), in Room 1003, Hearing Room B, Universal North Building, 1875 Connecticut Avenue, NW., Washington, D.C., before the undersigned.

Dated at Washington, D.C., August 31, 1976.

JANET D. SAXON,  
Administrative Law Judge.

[FR Doc.76-26108 Filed 9-3-76;8:45 am]

### ENVIRONMENTAL PROTECTION AGENCY

[FRL 610-6]

#### GUIDELINE FOR PUBLIC REPORTING OF DAILY AIR QUALITY

##### Pollutant Standards Index (PSI) (OAQPS Number 1.2-044)

PREPARED BY

EPA WORKING GROUP TO DEVELOP AN AIR QUALITY INDEX

CONTRIBUTING AGENCIES: U.S. ENVIRONMENTAL PROTECTION AGENCY, OFFICE OF RESEARCH AND DEVELOPMENT, OFFICE OF AIR AND WASTE MANAGEMENT, OFFICE OF PLANNING AND MANAGEMENT

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION—AUGUST, 1976

The U.S. Environmental Protection Agency's recommended "Pollutant Standards Index" (PSI) is the result of a joint effort on the part of EPA's Offices of Research and Development, Air and

Waste Management, and Planning and Management. The guideline was prepared by the EPA Working Group to Develop an Air Quality Index in response to a request from the Federal Inter-agency Task Force on Air Quality Indicators of which EPA is a member. The Federal Task Force, chaired by the Council on Environmental Quality, was created as a result of a joint EPA/CEQ report<sup>1</sup> which pointed out existing problems resulting from the present diversity of indices used in the United States and Canada.

This guideline suggests the use of the Pollutant Standards Index (PSI) for those local and state air pollution control agencies wishing to report an air quality index on a daily basis. The PSI places maximum emphasis on protecting the public health; that is, it advises the public of any possible adverse health effects due to pollution. In order to err on the side of public safety, the index stresses reporting on the basis of the stations with the highest pollutant concentrations and assumes that other unsampled portions of the community will also experience high concentrations. In addition, its emphasis is upon acute health effects occurring over very short time periods (24 hours or less) rather than chronic effects occurring over months or years. It is not intended for, and should not be used for, ranking urban areas in terms of the severity of their air pollution problems. Such rankings require the use of many other kinds of environmental data not incorporated in this index.

Finally, Appendix A discusses the meteorological information needs of forecasting relative index changes. This was prepared by personnel from the National Oceanic and Atmospheric Administration.

#### TABLE OF CONTENTS

1. Executive summary
2. Introduction
3. The EPA recommended daily indicator—Pollutant Standards Index (PSI)
  - 3.1 Number of pollutants
  - 3.2 Calculation method
  - 3.3 Descriptor categories
4. Reporting procedures
  - 4.1 Reporting the index
  - 4.2 Reporting the Federal episode criteria
  - 4.3 Forecasting the index
  - 4.4 Flexible media reporting
5. Monitoring requirements
  - 5.1 Need for monitoring uniformity
  - 5.2 Network considerations
  - 5.3 Measurement practices and reporting frequencies
    - 5.3.1 Use of Federal reference methods
    - 5.3.2 Carbon monoxide, nitrogen dioxide, and ozone
    - 5.3.3 Sulfur dioxide
    - 5.3.4 Total suspended particulate
      - 5.3.4.1 Staggered high-volume sampler measurements
      - 5.3.4.2 Alternative measurements
    - 5.3.5 Frequency of reporting and appropriate averaging times
6. References
7. Appendix A

#### 1. EXECUTIVE SUMMARY

This guideline suggests the use of the Pollutant Standards Index (PSI) for those local and state air pollution control agencies wishing to report an air quality index on a daily basis. The document also includes appropriate monitoring and re-

porting guidance. The guideline is the result of an earlier study<sup>2</sup> showing that of all the air quality indices in use today, no two are exactly the same. A potentially serious problem of public confusion can occur in regions where neighboring states and cities use different indices. The PSI

See footnotes, p. 37669.



also responds to the request of several state and local agencies that the U.S. Environmental Protection Agency provide them with a recommended uniform air quality index.

The recommended index incorporates five pollutants—carbon monoxide, sulfur dioxide, total suspended particulate, photochemical oxidants, and nitrogen dioxide—for which there are short-term (24 hours or less) health-related National Ambient Air Quality Standards (NAAQS),<sup>2</sup> and/or Federal Episode Criteria, and Significant Harm Levels.<sup>3, 4, 5</sup> A sixth variable—the product of total suspended particulate and sulfur dioxide—is computed and is included in the index equation. This variable and also nitrogen dioxide are treated differently than the other pollutants because they have no short-term NAAQS. Therefore, they are reported when they exceed the Federal Episode Criteria and Significant Harm Levels. Because of the basic design of the index, any further pollutant requiring NAAQS, Federal Episode Criteria, and Significant Harm Levels can be readily added.

The index uses a "segmented linear function" to convert each air pollutant concentration into a normalized number. The NAAQS for each pollutant corresponds to PSI=100, and the Significant Harm Level corresponds to PSI=500.

At a minimum, PSI reports that pollutant with the highest index value of all the pollutants being monitored, a dimensionless number, and a descriptor word. On days when two or more pollutants violate their respective NAAQS, each of the pollutants should be reported. Five descriptor words have been chosen to characterize daily air quality: "good," "moderate," "unhealthful," "very unhealthful," and "hazardous." In addition, for each descriptor word, generalized health effects and cautionary statements are provided for use when the air is characterized as "unhealthful" or worse.

For large metropolitan areas comprised of many smaller cities and suburbs where significant air quality differences may exist, the air pollution control agency may wish to report separate index values for each community. This has the advantage of showing the public how air pollution varies over the larger metropolitan area. The pollutants would be monitored at population-oriented locations where the maximum concentration for the particular pollutant is expected to occur, and the public within each community would be made aware of the worst air quality to which it is exposed.

Further guidance is given on the measurements practices and monitor siting considerations (Section 5).

PSI should not be used to rank cities. An evaluation of PSI in eight cities<sup>6, 7</sup> illustrated the difficulties of attempting to compare air quality levels in different cities using this or any other index. PSI

is designed for the daily reporting of air quality to advise the public of potentially acute, but not chronic health effects. To properly rank the air pollution problems in different cities, one should rely not just on air quality data, but should include all data on population characteristics, daily population mobility, transportation patterns, industrial composition, emission inventories, meteorological factors, and the spatial representativeness of air monitoring sites. A correct ranking should also consider the number of people actually exposed to various concentrations, as well as the frequency and duration of their exposure.

Adoption of PSI should reduce the confusion due to the existence of many indices. PSI has several advantages: (1) it is simple and can be easily understood by the public, (2) it can accommodate new pollutants, (3) it is based on a reasonable scientific premise, (4) it relates to NAAQS, Federal Episode Criteria, and Significant Harm Levels, (5) it exhibits day-to-day variations, and (6) a qualitative trend in the index can be forecast for periods up to a day in advance, especially during episodic conditions.

## 2. INTRODUCTION

A major area of concern in the field of air pollution control is how to best report daily air quality to the public. A recent CEQ/EPA Report<sup>1</sup> indicates that of the 55 largest U.S. metropolitan air pollution control agencies, 33 use an air pollution index. In addition, five states and two Canadian Provinces operate state-wide (or Province-wide) index systems. With two minor exceptions, no two indices were found to be exactly the same. The public confusion generated by the use of so many indices is particularly evident in bordering states using different indices. Therefore, there is a need to develop a uniform index to report the daily status of air pollution.

A recent paper<sup>8</sup> emphasizes the need for a truly meaningful index to have a sound scientific basis. The paper suggests that such an index be based on the relationship between pollutant concentration and adverse health (welfare) effects—that is, a "damage function." Unfortunately, it is an extremely complex undertaking to relate measured air pollutant concentrations to the many diverse effects of air pollution—for example, aggravation of disease in susceptible people, increased incidence of respiratory illness in healthy persons, impairment of human motor function, reduced visibility, corrosion of materials, and soiling of buildings. Arriving at an air quality standard for a given pollutant—which is just one point in a damage function—has required vast quantities of data, medical advisory committees, detailed epidemiological studies, and other extensive research. The air quality criteria documents published for the major air pollutants<sup>9-11</sup> reflect the complexity of the process.

The recent paper<sup>8</sup> also emphasizes the importance of an index accounting for the adverse effects associated with combinations of pollutants—that is, synergism. For example, the criteria document on sulfur oxides<sup>11</sup> states that adverse health effects attributable to sulfur oxides are intensified in the presence of particulate matter. Understanding synergistic effects adds greatly to the problem of obtaining a truly meaningful air quality index. These problems stress the need for additional research to develop pollutant-related damage functions that take into account synergistic effects on health and welfare.

As an interim solution to these problems, this guideline recommends a uniform index to report daily air quality, along with appropriate monitoring guidance. This index will serve until a more meaningful air quality index can be created. If adopted, a uniform index should end the confusion associated with the use of many varied indices.

3. THE EPA RECOMMENDED DAILY INDICATOR—POLLUTANT STANDARDS INDEX (PSI)

## 3. THE EPA RECOMMENDED DAILY INDICATOR—POLLUTANT STANDARDS INDEX (PSI)

The Pollutant Standards Index (PSI or  $\psi$ ) is the result of a joint effort by EPA's Offices of: Research and Development, Air and Waste Management, and Planning and Management. Its evolution has included formulation of several candidate index structures,<sup>12-14</sup> and the index has undergone an extensive review process involving state and local air pollution control agencies, public organizations, and media representatives.

The recent CEQ/EPA compendium of air pollution indices<sup>1</sup> developed an "index classification system" to analyze and compare the various indices used by state, Provincial, and local agencies. Indices were categorized according to four criteria: (1) number of pollutant variables measured, (2) calculation method used to compute the index, (3) descriptor categories reported with the index, (4) method of reporting (whether it is "combined," "maximum," or "individual").

The report found that the greatest number of the indices in use<sup>1</sup> incorporate five of the six National Ambient Air Quality Standards (NAAQS) pollutants (hydrocarbons are excluded because there are no direct health effects associated with the pollutant. It is controlled because it is a precursor to the formation of photochemical oxidants.); (2) use a segmented linear function<sup>15</sup>; (3) are based on the maximum of one of the pollutant variables; and (4) use three to five descriptor categories.

In the following sections, the structure of PSI is presented according to the "index classification system" categories.

### 3.1 Number of pollutants

PSI includes five pollutants: carbon monoxide (CO), sulfur dioxide (SO<sub>2</sub>), total suspended particulate matter (TSP), photochemical oxidant (O<sub>3</sub>) and nitrogen dioxide (NO<sub>2</sub>). Primary (that is,

\* A segmented linear function consists of two or more straight lines, drawn between successive coordinates ("breakpoints") where each line may have a different slope.

See footnotes, p. 37669.

\* A segmented linear function consists of two or more straight lines, drawn between successive coordinates ("breakpoints") where each line may have a different slope.



health related) NAAQS, and/or Federal Episode Criteria, and Significant Harm Levels exist for all five. In addition, one pollutant product  $TSP \times SO_2$  is included because it has both Federal Episode Criteria and a Significant Harm Level.<sup>a</sup> As with  $NO_2$ , which has no short-term primary NAAQS, the product is reported when the Federal Episode or Significant Harm Levels are exceeded. Finally, because of the structure of the index, any pollutant identified in the future for which NAAQS, Federal Episode Criteria, and Significant Harm Levels are adopted can be added without modifying the basic form of the index.

### 3.2 Calculation method

A segmented linear function is used relating actual air pollution concentrations to a normalized number. For example, PSI ( $\psi$ ) equals 100 when the NAAQS for each pollutant is reached, while ( $\psi$ ) equals 500 when the Significant Harm Level for each pollutant is reached. The normalized number should be easier for the general public to understand because it does not require one to know specific NAAQS concentrations or the many different Federal Episode and Significant Harm Levels.

The index breakpoints are listed in metric units (Table 1) and in parts per million (Table 2). The first breakpoint separates the descriptor categories "good" and "moderate." For CO and  $O_3$ , the first breakpoint was chosen at 50 percent of the primary NAAQSs. In the case of TSP and  $SO_2$ , concentrations equal to their respective primary annual NAAQS were chosen because the frequent occurrence of values greater than these concentrations could lead to violations of their respective annual NAAQS. In an area where a violation of either the annual primary TSP or  $SO_2$  standard occurs, approximately 50 percent or more of the days will thus be classified as "moderate" or worse. This approach minimizes the potential for public confusion which might arise from a preponderance of days reported as "good," followed by the report that the annual health-related standards has been violated.

The breakpoints between the primary NAAQS and Significant Harm Levels are somewhat arbitrarily set at the Federal Episode Alert, Warning, and Emergency Levels, except for oxidants. In the case of oxidant, 400  $\mu g/m^3$  was used as the PSI breakpoint for the descriptor words "unhealthful" and "very unhealthful" because it appears to be more consistent with the descriptor words than the suggested administrative Alert level of 200  $\mu g/m^3$ .<sup>\*\*</sup>

<sup>\*\*</sup> Several air pollution control agencies are using 400  $\mu g/m^3$  instead of 200  $\mu g/m^3$  as their Alert level with concurrence by the Environmental Protection Agency.

See footnotes, p. 37669.

TABLE 1. Breakpoints for PSI ( $\psi$ ) in Metric Units

Breakpoints	PSI Value ( $\psi$ )	TSP $\mu g/m^3$ 24-hr.	$SO_2$ $\mu g/m^3$ 24-hr.	$TSP \times SO_2$ ( $\mu g/m^3$ ) <sup>2</sup>	CO $mg/m^3$ 8 hours	$O_3$ $\mu g/m^3$ 1-hr.	$NO_2$ $\mu g/m^3$ 1-hr.
50% of primary short-term NAAQS	50	75 <sup>a</sup>	80 <sup>a</sup>	b	5.0	80	b
Primary short-term NAAQS	100	260	365	b	10.0	160	b
Alert Level	200	375	800	65x10 <sup>3</sup>	17.0	400 <sup>c</sup>	1130
Warning Level	300	625	1600	261x10 <sup>3</sup>	34.0	800	2260
Emergency Level	400	875	2100	393x10 <sup>3</sup>	46.0	1000	3000
Significant Harm Level	500	1000	2620	490x10 <sup>3</sup>	57.5	1200	3750

<sup>a</sup>Annual primary NAAQS.

<sup>b</sup>No index value reported at concentration levels below those specified by the Alert level criteria.

<sup>c</sup>For the PSI index 400  $\mu g/m^3$  appears to be a more consistent breakpoint between the descriptor words "unhealthful" and "very unhealthful" than the  $O_3$  Alert Level of 200  $\mu g/m^3$ .

TABLE 2. Breakpoints for PSI ( $\psi$ ) in Parts Per Million

Breakpoints	PSI Value ( $\psi$ )	$SO_2$ 24-hr.	$TSP \times SO_2$ ( $\mu g/m^3 \times$ ppm)	CO 8 hours	$O_3$ 1-hr.	$NO_2$ 1-hr.
50% of primary NAAQS	50	.03 <sup>a</sup>	b	4.5	0.04	b
Primary NAAQS	100	.14	b	9.0	0.08	b
Alert Level	200	.30	22.727	15.0	0.20 <sup>c</sup>	0.60
Warning Level	300	.60	91.259	30.0	0.40	1.20
Emergency Level	400	.80	137.413	40.0	0.50	1.60
Significant Harm Level	500	1.00	171.329	50.0	0.60	2.00

<sup>a</sup>Annual primary NAAQS.

<sup>b</sup>No index value reported at concentration levels below those specified by the Alert Level criteria.

<sup>c</sup>For the PSI index 0.2 ppm appears to be a more consistent breakpoint between the descriptor words "unhealthful" and "very unhealthful" than the  $O_3$  Alert Level of 0.1 ppm.

Figures 1 through 5 show the segmented linear function for each of the NAAQS pollutants, and Figure 6 shows the function for the product of TSP and  $SO_2$ . If NAAQS for new pollutants are adopted in the future, they can be accommodated by drawing a new segmented linear function.

### 3.3 Descriptor categories

PSI is primarily a health related index as shown by the descriptor words: "good," "moderate," "unhealthful," "very unhealthful," and "hazardous," (Table 3).

The breakpoints used to separate these descriptor words are somewhat arbitrary. On the basis of health effects data above, it is not possible to establish a sharp demarcation between any two descriptor words. However, when the five pollutants were examined in the context of severity of health effects, their NAAQS and EPA suggested administrative Alert, Warning, and Emergency levels tended to provide convenient breakpoints, except for the oxidant Alert level, which was replaced with 400  $\mu g/m^3$ , as discussed earlier.



TABLE 3. COMPARISON OF PSI VALUES WITH POLLUTANT CONCENTRATIONS, DESCRIPTOR WORDS  
GENERALIZED HEALTH EFFECTS, AND CAUTIONARY STATEMENTS

INDEX VALUE	AIR QUALITY LEVEL	POLLUTANT LEVELS					HEALTH EFFECT DESCRIPTOR	GENERAL HEALTH EFFECTS	CAUTIONARY STATEMENTS
		TSP (24-hour), $\mu\text{g}/\text{m}^3$	SO <sub>2</sub> (24-hour), $\mu\text{g}/\text{m}^3$	CO (8-hour), $\text{mg}/\text{m}^3$	O <sub>3</sub> (1-hour), $\mu\text{g}/\text{m}^3$	NO <sub>2</sub> (1-hour), $\mu\text{g}/\text{m}^3$			
500	SIGNIFICANT HARM	1000	2620	57.5	1200	3750		Premature death of ill and elderly. Healthy people will experience ad- verse symptoms that affect their normal activity.	All persons should remain indoors, keeping windows and doors closed. All persons should minimize physi- cal exertion and avoid traffic.
400	EMERGENCY	875	2100	45.0	1000	3000	HAZARDOUS	Premature onset of certain diseases in addition to significant aggrava- tion of symptoms and decreased exercise tolerance in healthy persons.	Elderly and persons with existing diseases should stay indoors and avoid physical exertion. General population should avoid outdoor activity.
300	WARNING	625	1500	34.0	800	2250		Significant aggravation of symptoms and decreased exercise tolerance in persons with heart or lung disease, with widespread symptoms in the healthy population.	Elderly and persons with existing heart or lung disease should stay indoors and reduce physical activity.
200	ALERT	375	800	17.0	400 <sup>c</sup>	1130	VERY UNHEALTHFUL	Mild aggravation of symptoms in susceptible persons, with irritation symptoms in the healthy popula- tion.	Persons with existing heart or respiratory ailments should reduce physical exertion and outdoor activity.
100	NAAQS	260	365	10.0	160	<sup>a</sup>	MODERATE		
80	50% OF NAAQS	75 <sup>b</sup>	80 <sup>b</sup>	5.0	80	<sup>a</sup>	GOOD		
0		0	0	0	0	<sup>a</sup>			

<sup>a</sup>No index values reported at concentration levels below those specified by "Alert Level" criteria.

<sup>b</sup>Annual primary NAAQS.

<sup>c</sup>400  $\mu\text{g}/\text{m}^3$  was used instead of the O<sub>3</sub> Alert Level of 200  $\mu\text{g}/\text{m}^3$  (see text).




Figure 1. PSI function for carbon monoxide




Figure 2. PSI function for suspended particulate matter






Figure 3. PSI function for sulfur dioxide




Figure 4. PSI function for photochemical ozone




Figure 5. PSI function for nitrogen dioxide.




Figure 6. PSI function for product of total suspended particulate and sulfur dioxide



Air pollution levels between the short-term primary NAAQS and the Alert level for TSP, SO<sub>2</sub>, and CO and 400 µg/m<sup>3</sup> for O<sub>3</sub> are deemed "unhealthy," because mild aggravation of respiratory symptoms in susceptible persons and irritation symptoms in the healthy population occur at some point above the short-term primary NAAQS and at and below the Alert levels for TSP, SO<sub>2</sub>, and CO and 400 µg/m<sup>3</sup> for O<sub>3</sub>.<sup>10-12</sup> NO<sub>2</sub> is not reported until concentrations exceed the Alert level because no short-term NAAQS has been established.<sup>14</sup> Air pollution concentrations above the Alert level but below the Warning level are classified as "very unhealthy," while concentrations above the Warning level are "hazardous."

These classifications are related to generalized health effects and appropriate cautionary statements (Table 3).<sup>17</sup> A single set of generalized health effects and cautionary statements is indicated for the descriptor words "unhealthy" and "very unhealthy." The "hazardous" category has two sets of generalized health effects and cautionary statements. The first set is reported when the index exceeds 300 and the second when the index exceeds 400 indicating the increasing severity of the air pollution levels.

In the case of TSP and SO<sub>2</sub>, short-term secondary air quality standards also exist below their primary NAAQS. Secondary standards are designed to protect against the adverse effects of pollution on the public welfare (animals, vegetation, materials, visibility, etc.) According to PSI, if their short term secondary NAAQSs are violated, the concentrations would be classified as "moderate" or worse. While this descriptor word is valid from a health viewpoint, the air quality is unsatisfactory from the standpoint of welfare effects. Because PSI is a health-related index, the user may wish to report on the possible welfare effects when either the short term TSP or SO<sub>2</sub> NAAQS is violated.

#### 4. REPORTING PROCEDURES

PSI has been designed to be as flexible as possible in allowing air pollution control agencies to decide for themselves the information to include in their reports to the various media. This section examines the recommended method of reporting the index, the reporting of the Federal Episode Criteria, and the concept of flexible media reporting.

##### 4.1 Reporting the index

Since each pollutant is examined separately by comparing its measured concentration with the NAAQS, the Episode Levels, and the Significant Harm Level, each pollutant can be reported separately. At the minimum, the pollutant with the highest index value should be reported to advise the public of the worst air pollution to which it is exposed. On days when two or more pollutants violate their respective NAAQS—that is, have PSI values greater than 100—then each of the pollutants should be reported. The index values of the other pollutants may also be reported for completeness. When the air pollution level is reported as "un-

healthy," "very unhealthy," or "hazardous," cautionary statements should also be used. In addition, the generalized health effects can be used.

Users of PSI may wish to report on the health effects of each pollutant individually, thereby providing more detailed language on each pollutant than is available in Table 3. In preparing such information for the public, the user is encouraged to seek appropriate medical advice and to consult the literature.<sup>10-14</sup>

##### 4.2 Reporting the Federal episode criteria

When the Federal Episode Levels for each pollutant are exceeded, the user should report the administrative actions associated with the Alert, Warning, or Emergency Levels. The issuance of administrative actions depends, of course, upon the forecast of meteorological conditions affecting future pollution levels.

Issuance of administrative actions also apply to the product of TSP and SO<sub>2</sub>, which has both Federal Episode Criteria and Significant Harm Levels.<sup>2,3</sup> Although available health effects information has not been codified to tie the descriptor words to the product of TSP and SO<sub>2</sub>, the product is included for purposes of administrative completeness.

##### 4.3 Forecasting the index

The forecasting of a quantitative index for periods up to a day in advance would be difficult without extensive meteorological data and specialized expertise that some air pollution control agencies may not possess. However, qualitative index forecasting is practicable using the National Weather Service's Air Pollution Weather Forecast Program.<sup>10,19</sup> With this weather information, along with available emissions and air quality trend data, agencies can develop techniques or procedures to forecast the relative change in the index by using the following word descriptors: No significant change, decrease, or increase. The principal responsibility for obtaining the necessary emission and air quality information lies with the air pollution control agency using the index. The air pollution control agency would integrate the meteorological information and apply the predictive methods to generate the forecast. The information needs for forecasting relative index changes is discussed further in Appendix A.




Figure 7. Example of possible PSI report for oxidants.




Figure 8. Example of possible PSI report for ozone.

##### 4.4 Flexible media reporting

The index has been designed to be as flexible as possible in reporting the status of air quality to the public. Either short or long reports can be used. For television, the report could read, "Today the air pollution index is 50, the air quality is good." However, when the air pollution becomes unhealthy, then several possible reports could be considered for television, the news media, or telephone recordings. For example, when oxidant pollution reaches a concentration of 280 µg/m<sup>3</sup> (0.14 ppm), the report could take several different forms.

(1) Today, the air pollution index is 150. The air is "unhealthy." The pollutant O<sub>3</sub> is responsible.

(2) An air pollution alert has (or has not) been called based on the forecast for the remainder of the day (and/or) tomorrow.

(3) Repeat the above and add the following cautionary statements: "Persons with existing heart or respiratory ailments should reduce physical exertion and outdoor activity."

(4) The report could include everything said in (1), (2), and (3) and then add that "unhealthy" air can cause "mild aggravation of symptoms in susceptible persons, with irritation symptoms in the healthy population."

(5) Finally, the report could conclude with the forecast of tomorrow's air pollution level, such as "no change in the air pollution level is expected."

Table 3 should be referred to in preparing the air pollution status report to the public. Figures 7 and 8 illustrate the above ozone example by showing possible reports for the television and newspaper, respectively. Both figures provide essential information, indicating the PSI value, the critical pollutant, the health implications for the public, and the next day's forecast. Each of the descriptor categories has been given equal weight. The information is displayed so that it can be presented as rapidly as possible in an easy-to-understand format.

#### 5. MONITORING REQUIREMENTS

##### 5.1 Need for monitoring uniformity

In order for PSI to be readily accepted, the data used in calculating the index must be comparable from site to site within a region. Since these data are to



be obtained at existing air monitoring sites, certain easily implementable practices can eliminate considerable variability in the data. Among these are using: (1) uniformity of site types—that is, residential, commercial, etc.; (2) Federal Reference Methods or their equivalent; (3) standardizing sampling height and probe exposure; and (4) good housekeeping and quality control procedures to provide high quality data.

## 5.2 Network considerations

Air pollution control agencies need not undertake additional monitoring requirements in the implementation of PSI, but can simply select sites from their existing network. The sites selected, however, should generally meet two basic criteria: (1) Sites should be representative of population exposure—that is, not unduly influenced by a single emission point or background-oriented, and (2) sites should be located in areas of maximum concentration for the pollutant of interest, but should not be unduly influenced by any single source. Areas suitable for monitoring, by pollutant are:

TSP—populated areas substantially downwind of large sources or in the midst of numerous area sources.

SO<sub>2</sub>—populated areas substantially downwind of large sources or in the midst of numerous area sources.

CO—densely populated, high-traffic volume areas, including areas in the center city.

O<sub>3</sub>—populated areas substantially downwind of areas of maximum hydrocarbon emissions density, such as the central business district. The site should be 100 meters or more removed from major traffic arteries or parking lots.

NO<sub>2</sub>—populated areas downwind of areas of high traffic density.

If a pollutant(s) is (are) measured at several locations within a metropolitan area, it would be desirable (if possible) to base the index on the site showing the highest reading on a given day. This would mean that different sites would be used on different days.

For large metropolitan areas comprised of many smaller cities and suburbs where significant air quality differences may exist, the air pollution control agency may wish to report separate index values for each community. This has the additional advantages of showing the public how air pollution varies over the larger metropolitan area. Furthermore, for example, the photochemical pollutants tend to be higher in the suburban fringe.

## 5.3 Measurement practices and reporting frequencies

5.3.1 *Use of Federal reference methods.* Since PSI is based on the NAAQS, the Federal Reference Methods (FRM) or equivalent should be used where possible. Such methods are consistent with the averaging time of the primary standards. Further, continuous methods should be used, where possible, to facilitate the reporting of the index numbers two or three times per day.

5.3.2 *Carbon monoxide, nitrogen dioxide, and ozone.* The FRM for CO is based on the nondispersive infrared

measurement principle. The proposed method for NO<sub>2</sub> and the existing method for O<sub>3</sub> employ the chemiluminescence measurement principle and give continuous data. A FRM or equivalent method for CO, NO<sub>2</sub>, and O<sub>3</sub> must also meet performance specifications set forth in the FEDERAL REGISTER.<sup>20</sup>

5.3.3 *Sulfur dioxide.* The FRM for SO<sub>2</sub> is the pararosaniline 24-hour bubbler method. The solution may be analyzed automatically or manually at the central laboratory. Serious logistics problems can arise if an index number must be calculated from multiple sites two or three times per day. Fortunately, there are procedures for designating continuous SO<sub>2</sub> analyzers as equivalent to the FRM,<sup>21</sup> and from these 24-hour running averages are easily obtained. Therefore, the use of the continuous SO<sub>2</sub> analyzer is recommended to collect the data used in the index. If one is not available, then a pararosaniline 24-hour bubbler method can be used if several precautions are taken. To prevent deterioration in the sample, the sample should be collected at ambient temperature or no warmer than 15° C if ambient temperatures are below freezing. The sample should then be analyzed as soon as possible, with no later than a six-hour delay from end of sampling to analysis.

5.3.4 *Total suspended particulate.* The FRM for TSP uses a high-volume sampler and specifies a midnight-to-midnight 24-hour sample followed by a 24-hour equilibration at a relative humidity less than 50 percent. This leads to a two-day delay in the reported value. For index reporting, the simplest modification to the FRM is to make the sampling time more convenient—that is, 8 a.m.-to-8 a.m. or noon-to-noon, etc. The sample could be weighed immediately to provide a TSP value for the index. Later a true value could be calculated after the recommended equilibration time of 24 hours. A study in EPA Region IV has shown that the true TSP values are usually within 10 percent of the values measured immediately after collection.<sup>22</sup> The true value would be recorded as the correct one, reported to the National Aerometric Data Bank, and used to calculate annual averages and maxima.

5.3.4.1 *Staggered high-volume sampler measurements.* During episode conditions, the air pollution control agency may find it necessary to inform the public of existing conditions two or three times per day. Therefore, several high-volume samplers could run for 24 hour periods staggered every 4 to 6 hours throughout the episode. The sample could be weighed immediately, and that weight used in deciding what action should be taken concerning the possible emergency. Then the filter would be equilibrated for 24 hours and reweighed.

5.3.4.2 *Alternative measurements.*—The paper tape sampler and the integrating nephelometer can be used to indicate the need for overlapping high-volume sampler measurements. The paper tape sampler has been used in most previous indices and has both Federal Episode

Criteria and a Significant Harm Level. The Coefficient of Haze (COH) value from the paper tape sampler, however, is poorly correlated with TSP levels. In addition, the paper tape sampler has not been determined to be an "equivalent method" to the FRM. Therefore, its use should be limited to index reporting and must not be used to determine compliance with the NAAQS for particulate matter.

A newer instrument relatively untested in routine field applications is the integrating nephelometer. It measures the scattering of light from small particles and correlates well with visibility and TSP measurements. Both the paper tape sampler and the nephelometer can produce a running 24-hour value which can be used as a qualitative indicator of TSP loadings in the atmosphere.

5.3.5 *Frequency of Reporting and Appropriate Averaging Times.* The frequency of reporting is left up to the agency, within these suggested ranges. It may be desirable to report the index once a day but probably not more than three times per day. Because the high-volume sampler has a 24-hour averaging period, agencies might consider operating two or more high-volume samplers at the same station but with off-set time periods, ending between 8 a.m. and 6 p.m. to provide reporting information during the most desirable period.

If the agency desires, the paper tape sampler or integrating nephelometer could be used in conjunction with the high-volume sampler to provide estimates of the most recent ambient particulate loading. Thus used, the paper tape sampler provides some guidance on whether or not to undertake more intensive measurements during high air pollution levels.

Appropriate averaging times for which the index should be tabulated and reported for each pollutant are:

TSP—TSP values taken with the high-volume sampler are discrete 24-hour values. Monitoring the data collection should be on a schedule consistent with the agency's need to report the air quality index. Other overlapping times may be employed by those agencies wishing to report more than one index value per day.

SO<sub>2</sub>—The suggested reporting value is the most current 24-hour running average since the last reporting period.

CO—Although there are two standards for CO (8 hours and 1 hour), the 8-hour standard is usually considered the limiting one and will be the one violated in the vast majority of cases. The most current 8-hour running average since the last reporting should be used. In addition, the agency could also report the index value associated with the highest 8-hour average during the reporting period.

O<sub>3</sub>—The suggested reporting value for O<sub>3</sub> is the highest hourly value since the last reporting period. The reporting periods are usually 24 hours or shorter.

NO<sub>2</sub>—Although the standard for NO<sub>2</sub> is an annual one, there are hourly values



associated with episode criteria; therefore, using the highest hourly value since the last reporting period is recommended.

#### 6. REFERENCES

1. Thom, Gary, and Wayne R. Ott. Compendium Analysis, and Review of United States and Canadian Air Pollution Indices, Joint study by the U.S. Environmental Protection Agency and the Council on Environmental Quality, December 1975.
2. FEDERAL REGISTER, Vol. 36, April 30, 1971, pp. 8186-8201.
3. FEDERAL REGISTER, Vol. 36, November 25, 1971, pp. 22390-22414.
4. FEDERAL REGISTER, Vol. 36, December 17, 1971, p. 24002.
5. FEDERAL REGISTER, Vol. 36, March 13, 1974, p. 9672.
6. FEDERAL REGISTER, Vol. 40, August 20, 1975, pp. 36330-36333.
7. Ott, Wayne R. and William F. Hunt, Jr. "A Quantitative Evaluation of the Daily Air Pollution Index Proposed by the U.S. Environmental Protection Agency." Presented at the 69th Annual Meeting of the Air Pollution Control Association, Portland, Oregon, June 1976.
8. Hunt, William F., Jr., and Wayne R. Ott. Pollutant Standards Index (PSI) Evaluation Study, Joint Office of Air and Waste Management and Research and Development Report, U.S. Environmental Protection Agency, April 1976.
9. Hunt, William F., Jr., William M. Cox, Wayne R. Ott, and Gary Thom. A Common Air Quality Reporting Format, Precursor to an Air Quality Index, presented at the Fifth Annual Environment Engineering and Science Conference, Louisville, Kentucky, March 3-4, 1975.
10. Air Quality Criteria for Particulate Matter, USDHEW, PHS, CPEHS, NAPCA, Washington, D.C., January 1969, No. AP-49.
11. Air Quality Criteria for Sulfur Oxides, USDHEW, PHS, CPEHS, NAPCA, Washington, D.C., January 1969, No. AP-50.
12. Air Quality Criteria for Carbon Monoxide, USDHEW, PHS, CPEHS, Washington, D.C., March 1970, No. AP-62.
13. Air Quality Criteria for Photochemical Oxidants, USDHEW, PHS, CPEHS, Washington, D.C., March 1970, No. AP-63.
14. Air Quality Criteria for Nitrogen Dioxide, EPA, APCO, Washington, D.C., January 1971, No. AP-84.
15. Thom, G. C. and W. R. Ott, Atmospheric Environment, 10, 261 (1976).
16. Thom, G. C., W. R. Ott, W. F. Hunt, and J. B. Moran. "A Recommended Standard Air Pollution Index," presented at 171st National Meeting of the American Chemical Society, New York, N.Y., April 1976.
17. Knelson, John H., U.S. Environmental Protection Agency, memorandum to Raymond Smith, U.S. Environmental Protection Agency, December 15, 1975.
18. National Weather Service, Operations Manual, Air Pollution Weather Forecasts, WSOM Issuance 75-13, Part C, Chapter 30, April 1975.
19. National Weather Service, Technical Procedures Bulletin No. 122: Air Stagnation Guidance for Facsimile and Teletype (3rd Edition), October 21, 1974. (Supersedes previous TPB's Nos. 52, 58, and 69).
20. FEDERAL REGISTER, Vol. 40, February 18, 1975, pp. 7049-7070.
21. Helms, G. F. U.S. Environmental Protection Agency, Region IV, Atlanta, Georgia. Personal communication, December 1975.

#### APPENDIX A

##### INFORMATION NEEDS FOR FORECASTING PSI

#### Introduction

The information needed to qualitatively forecast the Pollutant Standards Index (PSI) is of two types: (1) pollutant-related and (2) meteorological. The pollutant-related information may include data on source locations, physical source characteristics and emissions, atmospheric-physiochemical transformation processes, and actual air quality measurements and trends. Meteorological information that may be included are data on synoptic weather features, on meteorological parameters indicative of the dispersive capability of the lower atmosphere, and of the photochemical potential. It might also include information on the effect of local terrain complexities upon meteorological parameters. Together, pollutant-related and meteorological information form the input to locally tailored predictive techniques such as mathematical models, statistically derived methods, or other techniques that may be applied along with subjective judgment to some degree.

The necessary pollutant-related information is to be obtained by the air pollution control (APC) agency having local responsibility for issuing the Index. The National Weather Service (NWS) is the primary agency supplying the needs of APC agencies for meteorological information. NWS services include issuance of advisories on air pollution potential and air stagnations. However, some APC agencies and/or their consultants may also collect and interpret meteorological information to supplement that available from the NWS.

#### General data needs

The types and amounts of pollutant-related information needed will vary depending on the particular pollutant(s) of concern and the source to monitoring site configurations in the particular geographical area. For example, in the Los Angeles Basin, photochemical oxidant is the primary pollutant of concern and since precursor sources (mainly mobile) are widespread, the potential for maximum impact exists over a rather large area. In contrast, in Pittsburgh and Birmingham where suspended particulate matter from industrial ferrous emissions will most likely cause elevated pollutant levels, the maximum impact will probably be more localized; thus, pollutant-related information may not have to be as extensive. It is also important to know the diurnal, weekly, and seasonal characteristics of emissions. For instance, carbon monoxide concentrations are closely associated both spatially and temporally with automobile emissions. Typical diurnal patterns reflect morning and evening peaks in vehicular traffic. High concentrations may shift weekly in response to changes in workday versus weekend automotive travel patterns. Seasonal patterns may shift in some areas with vacation travel.

Generally, an up-to-date emissions inventory should be available for communities where PSI is to be utilized in order to adequately assess the source to monitoring site impact relationships. For point sources (usually >100 tons/year of a pollutant), information should include the source location, pollutants emitted, emission rates, and stack parameters. Area source data, including lesser point emissions, are not normally as specific. Available area emissions, in tons per year, are usually quantified by city or county. Vehicular emissions may be estimated by combining local traffic pattern information

with documented vehicle-fleet emissions rates. These emissions data are available from the EPA National Emissions Data System (NEDS), state planning agencies, and private sources. It may be necessary to supplement these data with emissions information affecting the various temporal cycles; for instance, information on the normal operating schedules of large point sources and on traffic volume cycles in congested areas.

Trends in the concentrations of pollutants can also be useful in predicting the PSI. Trend information might include the day-to-day variation in peak hourly values or 24-hour averages. Trends data should always be evaluated relative to changes taking place or anticipated in emissions or meteorology. Persistence of a trend would especially aid in arriving at the PSI forecast if no definitive changes in emissions or meteorological features are indicated. Interpretations of trends information, on a day-to-day basis, require care and experience because of the fluctuations that for varied reasons tend to occur about a mean trend.

The types of meteorological information that could be used for forecasting the PSI have been rather well defined through past experience with forecasting methods developed in support of air pollution control activities. This support has largely dealt with forecasting indices and episodic conditions. The meteorological features and parameters that are most often utilized in forecasting air quality indices at the present time are:

Character and movement of air masses and fronts  
Areas of air mass subsidence  
Incidence, intensity, and height of inversions  
Mixing layer height  
Prevailing wind direction  
Mean wind speed (surface and mixing layer)  
Ventilation (mixing layer mean wind speed  $\times$  mixing height)  
Precipitation  
Temperature  
Total sky cover

Of course, the emphasis placed on particular features and parameters listed above will vary with location and pollutant(s) of concern.

#### NWS information and support services

The NWS operates a comprehensive Air Pollution Weather Forecast Program. The program is administered from NWS National and Regional Headquarters with operational program elements at the National Meteorological Center (NMC) and local Weather Service Forecast Offices (WSFO's). Details of the program are contained in the NWS Operations Manual<sup>1</sup> and Technical Procedures Bulletins.<sup>2</sup> This program generates a variety of national, regional, and local air pollution weather forecast products which are issued to the public, to control agencies, or to both, as appropriate.

The NMC is responsible for providing the large-scale meteorological guidance used by field offices in the preparation of advisories and other products which are particularized and tailored to specific geographic areas to user requirements.

The air pollution weather products of NMC are comprised of the following elements:

- a. *Forecast air stagnation charts.* Issued every morning on facsimile, these four panel computer based charts depict expected areas of atmospheric stagnation (Figure 1).
- b. *Air stagnation narrative.* This plain language teletype message describing the Air Stagnation Charts, is issued every morning.

See footnotes at end of appendix.






Figure 1. Sample of Stagnation Chart sent on facsimile, depicting significant areas of large-scale stagnation. Shaded area indicates area of large-scale stagnation, hatched area indicates area that is under large-scale stagnation on all four panels.

c. *Air stagnation data.* This computer derived teletype message currently consists of today's mixing height and transport wind speeds for selected NWS stations.

The WSFO's have responsibility for local forecast products within designated geographic boundaries, including the issuance of the following three basic air pollution products:

a. *Air stagnation advisories (ASA).* Issued to the public and control agencies when locally established critical values of transport wind, mixing height, and ventilation are forecast to be reached and conditions are expected to persist for at least 36 hours, causing probable significant decrease in air quality.

b. *Special dispersion statements.* A special product issued only to control agencies when a potential air pollution situation is determined by an NWS forecaster to exist but no ASA will be issued because such an issuance would not be in the public interest.

c. *Dispersion outlooks.* A routine product issued by all WSFO's where it has been deter-

mined that the APC needs routine meteorological information to facilitate day-to-day operations and adequate manpower is available at the WSFO. The format, content, and issuance times of this product is determined by the WSFO and APC. The Dispersion Outlook is issued only to the APC.

Occasionally, air pollution episodes of public concern may occur during non-stagnant situations. These involve predesignated episode levels that require control actions to improve the air quality condition. In these situations, the WSCO provides the appropriate government agencies with the meteorological support necessary for pollution control or abatement procedures.

In conjunction with these services, the NWS provides supplemental, low-level upper air soundings at designated stations. This program which provides for greater spatial and temporal detail on dispersion conditions, especially during episodes or potential episodes, is available for several cities. These locations are listed below, together with the sounding scheduled:

Location:	Program
Birmingham, Ala.....	1/day routine week day, weekend and 2d daily observation call.
Charleston, W. Va.....	1/day routine week day, weekend and 2d daily observation call.
Chicago, Ill.....	1/day routine week day, weekend and 2d daily observation call.
El Monte, Calif.....	2/day routine week days except occasionally omit afternoon soundings on well ventilated days.
Houston, Tex.....	1/day routine week day, weekends and 2d daily sounding on call.
Los Angeles, Calif.....	2/day, 7 days a week.
Philadelphia, Pa.....	All observations on call.

Additionally, special low-level soundings are available on an on-call basis at the regular upper air observation facilities near Denver, Colo., New York, N.Y., Oakland, Calif., Pittsburgh, Pa., and Washington, D.C. An aircraft sounding is available at Sacramento, Calif. Through a Cooperative effort, state APC agencies take soundings as needed in Seattle, Boston, Portland, Oreg., and San Jose, Ga. These are taken at special facilities that were established by the NWS.

The NWS has, up until recently, not been too closely involved nationwide in predicting conditions conducive to buildup of photochemical pollutants. Because of recent interest and increasing demand for such information, the NWS is in the process of evaluating possible techniques with the objective of modifying or adding to current air pollution weather forecast products and services.

#### Development of prediction methodology

The available services and information, briefly described above form the basis for developing a local community procedure for making local qualitative forecasts of the PSI. These forecasts can be reasonably made for periods up to a day in advance in terms of No Significant Change, Increase, or Decrease. It is advisable for agencies planning to use the index along with a forecast procedure to have personnel on their staffs familiar with meteorological data and how these data may be applied in development of index prediction methodology.

Considering the wealth of information available from the NWS, it seems logical that the issuance of an index forecast should be scheduled at intervals complementary to operations at the NWS. This would allow the APC agency to have the advantage of the most current NMC weather products and WSFO air pollution forecast services. In addition, it would encourage further cooperation and support of the local NWS facility. However, while it can be expected that NWS meteorologists will be able to closely coordinate with a local agency in arriving at index change predictions during potential or actual episodic conditions, they will most likely not be able to give such attention to routine day-to-day forecasting of the index. Also, NWS personnel would not be expected to have detailed knowledge of pollutant-related factors.

Where an APC agency may have developed the expertise necessary to make quantitative predictions of the PSI for the following day, they should be encouraged to make these predictions. However, it should be cautioned that making quantitative predictions of air quality or air quality indices should not be attempted without a reasonable expectation of success based on well-tested techniques. Otherwise, a less than satisfactory forecast record could result, which would tend to have an adverse effect on public acceptance of the PSI.

Mathematical air quality simulation models have to date not been used to any appreciable extent in index prediction. Because of their relative complexity, cost of modifying for local use, and time and expense that may be involved in making day-to-day predictions, their use for predicting the index qualitatively will initially be limited. However, where APC agencies may progress to the point of making quantitative forecasts, the use of models may become necessary. A listing and brief description of possible air quality models that could be applied are contained on OAQPS Guideline No. 1.2031.<sup>2</sup>

#### Current use of meteorological information in index prediction

Approximately half of the 25 local agencies currently issuing air pollution indices make forecasts of their index a day in advance. Of these, only one third have meteorologists on their staffs, while the remainder rely upon NWS meteorologists for interpretation of meteorological data. Three of the local agencies were selected to serve as examples of how varying degrees of meteorological information can be incorporated into air quality index forecasting.

One of the more sophisticated forecast techniques, the Air Pollution Dispersion Index, was developed six years ago by the State of Colorado Department of Health in Denver.<sup>4</sup> A forecast is issued each morning for four time periods, a.m. today, p.m. today, a.m. tomorrow, and p.m. tomorrow. The technique developed by department meteorologists is based upon concepts of mixing heights and wind speed discussed by Holzworth in AP-101,<sup>5</sup> and employs a nomogram of wind speed vs. mixing heights, with isolines of



constant ventilation factor values serving to demarcate four dispersion categories. These categories are:

Ventilation factor ( $m^2/sec.$ ) (wind speed $\times$ mixing height)	
Associated dispersion	
<2,000-----	Bad.
>2,000 to 4,000-----	Fair.
>4,000 to 6,000-----	Good.
>6,000-----	Excellent.

The mixing heights used for the "today" forecast are determined from a plot of the Denver morning upper air sounding, the morning minimum surface temperature at Stapleton Airport plus 3° to 4° C, and the forecast afternoon maximum temperature. The "tomorrow" mixing heights are determined from the forecast 24-hour minimum and 36-hour maximum temperature, and a forecast of the sounding using locally-tailored analytical techniques. All transport wind speeds are derived from either observed or forecast NWS data. Critical factors in Denver are the typical low-level morning inversions which serve to deteriorate air quality and the occurrence or forecast of rain or snow which automatically leads to a forecast of improving air quality.

The City of Philadelphia Department of Public Health<sup>1</sup> uses general meteorological conditions and a NWS Air Stagnation Index to predict the Philadelphia Air Quality Index. The local agency receives meteorological information twice daily from the Philadelphia NWS office. Parameters of most concern are wind speed, gustiness and the likelihood of a frontal passage with its associated turbulent mixing. Wind direction is not a vital concern since emission sources in the city are relatively well distributed in all directions. Specifically, the Air Stagnation Index is formulated from the algebraic sum of several weighted meteorological parameters as shown in Table 1. To determine the index value, the weights associated with each observed parameter are summed. When at least one of the meteorological values is associated with a "Stop," excellent dispersion is forecast. Otherwise, dispersion is forecast according to the following scheme:

Sum of weights:	Forecast dispersion
-1, -2, -3--	Good.
0-----	Marginally good.
+1-----	Marginally poor.
+2, +3-----	Poor.

TABLE 1. Air Stagnation Check Sheet<sup>1</sup>

Meteorological parameters	Value categories	Weights
Morning wind speed (knots)	> 10 10 > 8 8 > 6 6	STOP -1 +1 +2
Afternoon and evening wind speed (knots)	> 11 11 > 9 9 > 6 6	STOP -1 +1 +2
Morning mixing height (meters)	> 1500 1500 > 750 750 > 500	STOP -1 0
Afternoon ventilation factor ( $m^2/sec.$ )	> 8000 8000 > 6000 6000 > 4000 4000	STOP -2 0 +1

<sup>1</sup>Philadelphia Forecast Office  
National Weather Service  
National Oceanic and Atmospheric Administration  
U.S. Department of Commerce

However, due to the nature of the Philadelphia Air Quality Index, a dramatic change in dispersion is required to effect a change in the index values.

The Department of Public Health in Dallas<sup>4</sup> uses meteorological data in a very qualitative manner. The general weather situation is examined daily with primary importance directed toward stagnating high pressure systems, cold frontal passages, and prevailing wind direction. NMC trajectory analysis data, surface weather patterns, and prognostic charts are used in a non-rigorous manner. For example, geographical plots of smoke and haze reports are occasionally used to determine the area extent and approach of pollutants due to large scale circulation patterns.

Improving conditions are forecast with the occurrence of precipitation, a frontal passage, and increasing wind speed. Deteriorating air quality is predicted when trajectories persist from local or more distant sources or sources areas.

Dated: August 27, 1976.

ROGER STREETLOW,  
Assistant Administrator  
for Air and Waste Management.

#### REFERENCES

1. National Weather Service, Operations Manual, Air Pollution Weather Forecasts, WSOM Issuance 75-13, Part C, Chapter 30, April 1975.
2. National Weather Service, Technical Procedures Bulletin No. 122: Air Stagnation Guidance for Facsimile and Teletype (3rd Edition), October 21, 1974. (Supersedes previous TPB's Nos. 52, 58, and 69.)
3. U.S. Environmental Protection Agency, Guidelines for Air Quality Maintenance Planning and Analysis, Volume 12: Applying Air Quality Models to Air Quality Maintenance Areas, EPA-450/4-74-012, September 1974 (OAOQPS No. 1.2-031), Research Triangle Park, N.C.
4. Thom, G., and Wayne R. Ott, "Compendium Analysis, and Review of United States and Canadian Air Pollution Indices," Joint Study by the U.S. Environmental Protection Agency and the Council on Environmental Quality, Washington, D.C., December 1975.
5. Holzworth, G. C., "Mixing Heights, Wind Speeds, and Potential for Urban Air Pollution Throughout the Contiguous United States," U.S. Environmental Protection Agency, Research Triangle Park, N.C. January 1972 (AP-101).

[FR Doc.76-25794 Filed 9-3-76; 8:45 am]

## ENERGY RESEARCH AND DEVELOPMENT ADMINISTRATION

### KERR GLASS CO.

#### Proposed Sanctions

The Office of Equal Opportunity has issued the following notice of proposed sanctions and amendments to that notice to the Kerr Glass Company for its failure to resolve all deficiencies cited in the 30 day show cause letter issued to that company on April 7, 1975.

The following letters are published in accordance with the requirements of 41 CFR 60-1.26(b)(2)(i) and (ii).

MARION A. BOWDEN,  
Director, Office of  
Equal Opportunity.

Mr. W. A. Kerr,  
President,  
Kerr Glass Company,  
611 S. Chateau Place,  
Los Angeles, California.

DEAR MR. KERR: On April 7, 1975, Kerr Glass Company was sent a notice to show cause

within thirty (30) days why the Energy Research and Development Administration (ERDA) should not issue a notice of proposed cancellation or termination of present government contracts and subcontracts and debarment from further government contracts and subcontracts. That notice to show cause was sent after extensive efforts to conciliate deficiencies in Kerr Glass Company's Equal Employment Opportunity Program at the Dunkirk, Indiana, and Plainfield, Illinois, plants had proved unproductive. In accordance with the OFCC regulations at 41 CFR 60-2.2(c)(2), ERDA continued to negotiate the outstanding deficiencies with Kerr Glass even beyond the 30 day period. Although progress was made toward conciliation, the failure to resolve all deficiencies has forced ERDA to conclude that an acceptable voluntary agreement will not be forthcoming.

The only remaining deficiency in Kerr Glass Company's Equal Employment Opportunity Program is the contractor's failure and refusal to provide back pay for an affected class of female employees who transfer or wish to transfer into traditionally male jobs. Back pay for those women is an essential element of the contractor's corrective action program for affected class employees as required in 41 CFR 60-2.1.

As a result of Kerr Glass Company's failure to conciliate the affected class violation, ERDA hereby finds that Kerr Glass Company is not in compliance with Executive Order 11246, as amended by Executive Order 11375, and the regulations issued pursuant thereto, specifically 41 CFR 60.2.1. Therefore, pursuant to section 209 of Executive Order 11246 and 41 CFR 60-1.26(b), ERDA, with the approval of the Director of the Office of Federal Contract Compliance, issues to Kerr Glass Company this notice of proposed cancellation or termination of existing government contracts and subcontracts and debarment from future government contracts and subcontracts. You have fourteen (14) days from the receipt of this letter to request a hearing pursuant to 41 CFR 60-1.26(b)(1). If a request for hearing is not received within fourteen (14) days from the date of receipt of this notice, Kerr Glass Company will be declared ineligible for future contracts and current contracts will be terminated in accordance with 41 CFR 60-1.26(b)(2)(v).

If a hearing is requested, the Office of Federal Contract Compliance, at the discretion of the Director, may suspend a contractor's present contracts or subcontracts in accordance with 41 CFR 60-1.26(b)(2)(iv). However, in view of good faith efforts Kerr Glass Company has made to conciliate all other outstanding issues, should a request for a hearing be forthcoming within 14 days, no contracts or subcontracts held by Kerr Glass will be suspended pending the final outcome of a formal hearing.

Dated: September 30, 1975.

Sincerely,

MARION A. BOWDEN,  
Director, Office of Equal Opportunity.

Mr. W. A. Kerr,  
President,  
Kerr Glass Company,  
611 S. Chateau Place,  
Los Angeles, California.

DEAR MR. KERR: On September 30, 1975, Kerr Glass Company was sent a notice of proposed cancellation or termination of existing government contracts and subcontracts and debarment from future government contracts and subcontracts pursuant to Section 209 of Executive Order 11246, as amended, and 41 CFR 60-1.26(b). On October 3, 1975, the company responded to that notice and requested "a hearing pursuant to 41 CFR 60-1.26."